T BOOK

nsions		Contents	Reference to last Measureme
Breadth 5	Depth 6	7	8
-ward Rs:	14.89,855-00		
IT -	29797-00		
Cess -	14899-00		
CBF -	1490-00		
LR -	26668-00		
FSD -	74493-00		
CGST -	13302-00		
SGST -	13302-00		
adju.	173951-00		
ayable Rs.	13,15,904-00		

2nd & Final bill ✓

M. A. R. 57 (Rule 116)
Measurement Book

No. B 426744

rial No. [Package no-01, Include-3 works of Rs. 200.00 lakhs]
me of Work ..... From ..... To .....
me of Contractor of nature of Agency ..... Sri. M. venkatesh
te of commencement of work ..... DOS number - 006-18-000056, 006-18-000057 & 000059

ate	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Name of work: (1) Improvements to roads and drains @ Sadiq Layout (defence Layout) in ward no-06 Byatarayanapura Sub-division. (2) Improvements to Roads and drains @ Manjunath Nagara in ward no-06 Byatarayanapura Sub-division. (3) Improvements roads and drains @ and RCC culverts @ Hegadegara (9th cross to 13th Cor) in ward no-06 Byatarayanapura Sub-division —						
	Work order no —	BBMP/EE/BTP/W.O/61/2018-19 dt - 23-07-2018 —					
	Estimate cost: — Package no-01, Include 3 works of Rs. 200.00 lakhs —						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
01)	KSRRB M300-1. Earth work excavation by manual means in ordinary soil involving an average horizontal throw upto 2 mts and an average lift upto 0.5m excavated surface levelled and sides neatly dressed, the disposed earth to be levelled neatly after breaking of clods complete as per specifications						
	present Qty vide se. in excel sheet No. ①					306.23 cum	
	Qty vide 1st & part bill MB No. - & Page.					1752.09 cum	
			Total update			= 2058.32 cum	
			I. P. Q			= - 1752.09 cum	
	Total To be paid present qty					= 306.23 cu.m	
	@ 191.43 /cum					Rs. = 58622.00	

rial No. .....
me of Work .....
me of Contractor of nature of Agency .....
te of commencement of work .....

ate	Full description, etc, of work	Nu
	2	
02)	providing granite slabs of thick and fixed in cent m	
	present Qty in exc	
	Qty vide 1st & Part bi	

NT BOOK

Dimensions			Contents	Reference to last Measurement
	Breadth 5	Depth 6	7	8
			ration by manual means in horizontal throw upto 2 mts excavated surface levelled & disposed earth to be levelled complete as per specifications	
			Sheet No-① 306.23 cum	
			Page 1752.09 cum	
			d update = 2058.32 cum	
			= - 1752.09 cum	
			D. P.Q = 306.23 Cum	
			e paid present qty = 306.23 Cum	
			@ 191.43/cum Rs. = 58622.00	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 426745

erial No. .....
ame of Work ..... From..... To.....
ame of Contractor of nature of Agency .....
ate of commencement of work .....

Date	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	23) providing granite slabs of selected quality roughly dressed have a size 25cm thick and fixed in cm mortar (1:6) including fixing curing etc complete						
	present qty in excel sheet no-			③	-	843.21 Sqm	
	Qty vide 1st & Part bill no-			page		350.73 Sqm	
				Total update		1193.94 Sqm	
				D P.Q		- 350.73 Sqm	
				To be paid present qty =		843.21 Sqm	
				@ 745.56/Sq		= 6,28664.00	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurem
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(03)	KSRB 300-14 Excavation for roadwork in Soil with hydraulic excavator of 0.90 cum bucket capacity including cutting & loading in tippers, trimming bottom and side slopes, in accordance with requirement of lines, grades and cross sections and transporting to embankment location and complete as per specifications. MORTH specification – present Qty in Excel sheet no (2) ie 108.09 cum Qty vide 1st & part bill (mb.no – Page – 1592.10 cum Total update = 1700.19 cum Less Pr. Q 1592.10 cum Total To be paid present Qty 108.09 cum @ 148.69/cum = ₹ 16,072-00						

M.
N

rial No. .....
me of Work .....
me of Contractor of nature of Agency .....
te of commencement of work .....

ate	Full description, etc, of work	Num
	2	3
04)	KSRB 4.1.2 providing & la with OPC Cent @ 220 metal coarse aggregates machine mixed, ~~complete~~ Compacted in foundation of machinery curing comp present Qty in excel 8 1st & part bill Qty	

ENT BOOK

Dimensions			Contents	Reference to last Measurement
gth	Breadth 5	Depth 6	7	8
work in Soil with hydraulic capacity including cutting & m and side slopes, in lines, grades and cross sections t location and complete as ification —				
no. (8)			ie 108.09 Cum	
			1592.10 Cum	
			Total 1700.19 Cum	
Total update =			1592.10 Cum	
DP. 8			108.09 Cum	
paid present Qty @ 148.69/cum			= ₹ 16072 -	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 426746

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
	2	Number 3	Length 4	Breadth 5	Depth 6	7	8
24)	KSRB4.1.2 providing & laying in position plain cement concrete of mix 1:3:6 with 40mm and down size graded granite metal coarse aggregates @ 0.892 cum and fine aggregates @ 0.465cum machine mixed, concrete laid in layers not exceeding 15cums thick well compacted in foundation including cost of all materials of machinery curing complete as per specifications — present Qty in excel sheet sheet no (4) 1st & Part bill Qty vide MB no —					ie 83.47 Cum	lasours, Hom
						285.90 Cum	
						Total 369.62 Cum	
						Total update = 285.90 Cum	
				DP 8			
						To be paid prest Qty = 83.47 Cum	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		@	5990.60/4mm =			M. 500035-00	
05	Cement Concrete pavement, Construction of unreinforced plain cement Concrete pavement, thickness as per design, over a prepared GSB base with OPC Cement or any other type as per clause 1051.2.2 design mix M20/M30, with 25mm and down size graded granite metal coarse aggregate and fine aggregate with superplastisiser @ 3 lts confirming to IS 9103 - 1999 Reaffirmed-2008, mixed in a concrete mixer of not less than 0.6 cum capacity and appropriate weigh batcher as per approved mix design, laid in approved Fixed Side Form work (Steel channel, laying and fixing of 125 micron thick polythene film, wedges steel plates, including levelling the formwork as per drawing)						

erial No. .....
ame of Work .....
ame of Contractor of natur
ate of commencement of

Date	Full description,
1	2
	Spreading Co and plate vi of contraction cutting charges, admixtures a complete as Preset 15t &

BOOK

ions		Contents	Reference to last Measureme
Breadth 5	Depth 6	7	8
60/Cum = Rs. 500035-00			
ction of un reinforced			
ess as per design, over			
or any other type as per			
m30, with 25mm and down			
aggregate and Fine aggregate			
ning to IS 9103 - 1999			
crete mixers of not less than			
weigh batcher as per			
roved Fixed Side Form			
of 125micron thick polythene			
levelling the form work as per drawing)			

M. A. R. 57 (Rule 116)
Measurement Book

No. B 426747

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Spreading Concrete with shovels, rackers and plate vibrator and Finished in a continuous operation including provision of contraction, expansion, construction and longitudinal joints including groove cutting charges, Joint Filler, separation membrane, Sealant, primer Joint Sealant, admixtures as approved curing Compound, Finishing to lines and grades as per drawing Complete as per specifications. Compacted using needle, screed						
	Present Qty in excel Sheet no (5)				ie -	94.11	Cum
	1st & part bill Qty vide mb no				Pgw -	351.14	Cum
					Total upto date	445.25	Cum

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
					deduct previous Qty	445.23 Cum	
					-	351.12 Cum	
					To be paid present Qty =	94.11 Cum	
					@ 6170.00/Cum	= 580,659-	
	(05) Vaccum de-watering with vaccum pump and suction mat of compact with steel Floater clubbed with Floating disc including cost of generator, Horn of machinery, screed vibratory, Power floater, blade and disc etc: with all lead and lift as per specification						
	present Qty vide excel sheet no- (6)					627.39 Sqm	
	1st & part Qty vide mb no- pg					ie 2835.99 Sqm	
					Total upto date.	3463.38 Sqm	

Engineer Incharge

ial No. .....
me of Work .....
me of Contractor of nature of Agency .....
te of commencement of work .....

ate	Full description, etc, of work
	2
	(07) providing laying spread maladam specification in uniform layers with and compacting with as per specification. a Charge of the wide

T BOOK

nsions		Contents	Reference to last Measurem
Breadth 5	Depth 6	7	8
vious Qty		445.23 Cum	
		- 351.12 Cum	
sent Qty		= 94.11 Cum	
@ 6170.00/Cum		= 580,659-	
mp and Suction mat and compact			
ing disc including cost of			
Vibratory, Power floater,			
ed lift as per Specificat			
ect No (6)		627.39 Sqm	
Pa		ie 2835.99 Sqm	
tal upto date.		3463.38 Sqm	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 426748

rial No. .....
me of Work ..... From..... To.....
me of Contractor of nature of Agency .....
te of commencement of work .....

ate	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
		Deduct previous Qty				- 2835.99 Sqm	
		To be paid present Qty				627.39 Sqm	
		@ 106.85/Sqm				= 67037-00	
27	providing laying spreading and compacting graded stone aggregates to wet mix macadam specification including premixing the material by tipper to site, laying in uniform layers with paver in Sub-base/base course on well prepared surface and compacting with vibratory roller to achieve the desired density. Complete as per specification and direction as per directions of the engineer in charge of the work						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measure
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Present Qty vide ex cbk sheet no - (9)					718.31	Sgm
	1st & part bill Qty vide mem no - P -					+ 1283.30	Cum
					Total update →	2001.61	cum
					D. P. Q	- 1283.30	cu
					Total - To be paid present Qty	718.31	cum ✓
					@	1980.75/cum =	14,22,433
(08)	KSRRB M-500-6 ponidy and applyig prime coat with SS bitumal emulsion on prepared surface of granular Base such as WBM/WMM including cleanig of road surface and spraying primer @ the rate of 0.60 kg/sqm usig mechanical means Complete as per specification. As per MORTH specification clause no —						
	This item not apperated (executed)						

Drawings

Drawings

Date	Full description, etc, of work
1	2
(09)	KSRRB 500.2 Clean Soft brushes and finall to receive bituminous t of machinesies complete engineer in-charge of the present Qty vide exc 1st & part bill Qty vi

EMENT BOOK

Dimensions			Contents	Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
excel sheet no - (9)			718.31	Sqm
demand no -			+ 1283.30	Cum
Total update →			2001.61	Cum
D.P.Q			- 1283.30	Cu
paid present Qty			718.31	cum ✓
@			1980.25/cum =	14,22,433
plying primer coat with SS bitumal				
of granular Base such as WBM/WM				
face and Spraying primer @				
mechanical means Complete as				
specification Clause no				
- apperated (executed)				

M. A. R. 57 (Rule 116)
Measurement Book

No. B 426749

al No. .....
ne of Work ..... From..... To.....
ne of Contractor of nature of Agency .....
e of commencement of work .....

te	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
	2	Number 3	Length 4	Breadth 5	Depth 6	7	8
(9)	KSRRB 500.2 Clearing the existing black topped surface with brooms, Soft brushes and finally dusting with old gunny bags and/or Compressed air to receive bituminous treatment including cost of all materials, Labour tools of machineries complete as per specifications and as per the directions of the Engineer in-charge of the work.						
	present Qty vide excel sheet no - (11)					ie	1222.50 Sqm
	1st & part bill Qty vide mb no -					f	20722.03 Sqm
						Total update Qty :	21944.53 Sqm
						D.P.Q -	20722.03 ✓
						To be paid Qty (present)	1222.50 Sqm

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
			@	3.56	/Sqm	= Rs. 4352.40	
(10)	providig and applyig tackcoat usig 80/100 grade bitumen (VG10) on prepared black topped surface@ 2.5kg per 10sqm heating bitumen in boiler Fitted with spray set (excludig cleanig of road surface) including cost of all materials labour, Hire of machineries complete as pr specifications and as pr the direction of engineer in charge of the work.						
	present Qty vide excel sheet no - (12) ie 3875.64 Sqm						
	1st & part bi // Qty vide MBno- pg1					2194 1.30 Sqm	
	Total updat Qty :					25816.92 Sqm	
	-					21941.30	
	To be paid P.Q present Qty		@			3875.64 Sqm	
				13.06	/Sqm	= Rs. 50616.10	

Signature

ial No. .....
me of Work .....
me of Contractor of nature of Agency
e of commencement of work .....

ate	Full description, etc, of work
	2
(11)	providig and layig VG30 bitumen grade premixed with bitumi mix to work site, layi grade level & alignm rolleys to achieve th and as pr the directi present Qty 1st & part b

ENT BOOK

Dimensions			Contents	Reference to last Measurement
th	Breadth 5	Depth 6	7	8
			3.56 /Sqm = Rs. 4352.00	

using 80/100 grade bitumen
surfaces @ 2.5kg per 10sqm.
with spray set (excluding
cost of all materials labour,
as per specifications and as
ge of the work.
t no - (12) ie 3875.64 Sq
per 21941.30 Sq
l update qty : 25816.92 Sq
P.Q - 21941.80
ic present qty 3875.64 Sq
@ 13.06/Sqm = Rs. 50616-00

M. A. R. 57 (Rule 116)
Measurement Book

No. B 426750

rial No. .....
me of Work ..... From..... To.....
me of Contractor of nature of Agency .....
te of commencement of work .....

ate	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	(11) providing and laying bituminous concrete 40mm compacted thickness with VG30 bitumen grade using 40-60 HMP using crushed aggregate of grading-II premixed with bituminous binder @ 6% of mix and filling transporting the hot mix to work site, laying with a mechanical paver finisher to the required grade level & alignment, rolling with smooth wheeled, vibratory and tandom rollers to achieve the desired compaction as per MORTH & H specification and as per the direction of engineer incharge of the work — present qty vide excel sheet no - (14) ie 155.03 Cum 1st & part bill Qty vide page no -					879.20 Sqm	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		Total update Qty =				1034.32 Cum	
		D.P.Q				- 879.20 Cum	
		To be paid present Qty =				155.03 Cum	
		@ 7934.05/cum = 123000 Rs					
	(12) providing and laying of hot applied thermoplastic compound 25mm thick including reflectorising glass beads @ 250 gms per Sqm area, thickness of 2.5mm is excluding of surface applied glass beads as per IRC:35. The finished surface to be level, uniform and free from streaks and holes complete as per specifications and as per the directions of the engineer-in-charge of the work.						

Agreement No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	
	2	
	present Qty vide	
	1st & part	
	C/FC	
	22/2/20	
(13)	Construction of	

ENT BOOK

Dimensions			Contents	Reference to last Measure
gth 4	Breadth 5	Depth 6	7	8
pdate Qty :			1034.72 Cum	
D.P.Q -			879.20 Cum	
d present Qty :			155.03 Cum	
@ 7934.05/cum =			1,23,00 Rs	
ed thermoplastic Compound 2.5mm				
s beads @ 250 gms per Sqm area,				
of surface applied glass beads as per				
to be level, uniform, and free				
ete as per specifications and				
engineer-in-charge of the work.				

M. A. R. 57 (Rule 116)
Measurement Book

No. B 426751

al No. ..... From..... To.....
me of Work .....
me of Contractor of nature of Agency .....
e of commencement of work .....

te	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	present Qty vide excel sheet no-	(16)			ie-	125.76	Sqm
	1st & part bill Qty vide mbno.					739.20	Sqm
					Total update Qty	865.66	Sqm
					D.P.Q -	739.20	Sqm
					Total To be paid Qty (Sqm)	125.76	Sqm
					@ 607.85/Sqm =	76,443.00	
	c/f FC 20/2/19						
	22/2/2019						
	Total						
(13)	Construction of embankment with approved material Gravel/murrum						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measure
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	with all lifts and leads, transporting to site, spreading evenly to required slope and compacting to meet requirement Table 300-2 complete as per specifications, (including cost of gravel/murrum watering charges & compaction by vibratory roller to 95% of proctor density) MORT H specifications and as per the direction of Engineer of the work —						
	Present area qty vide Excell sheet No					529.02 Cum	
						@ 358.50/Cum = 189654.00	
						Grand Total Amount = 48,24,589/-	

ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾ ನಗರ ಪಾಲಿಕೆ

22/2/2019

ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾ ನಗರ ಪಾಲಿಕೆ
ಪೂರ್ವ ವಲಯ, ಬೆಂಗಳೂರು-24

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measure
		Number	Length	Breadth	Depth		
	2						

Certificate:

a) The above work is done
b) There is no departmental
c) This works comes under

22/2/19

ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾ ನಗರ ಪಾಲಿಕೆ

NT BOOK

mensions			Contents	Reference to last Measureme
n	Breadth 5	Depth 6	7	8
			tig to fix, spreading grading meet requirement Table 300-2 cluding cost of gravel/murrum vibratory roller to 95% of ring and as per the direction of	
			all fleet No ⓐ 529.02 Cum @ 358.50/Cum = 189654.00	
			Grand Total Amount = 48,24,369-00	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 426752

erial No. .....
me of Work ..... From..... To.....
me of Contractor of nature of Agency .....
te of commencement of work .....

ate	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	Certificate:						
	a) The above work is done satisfactory and complete in all respect -						
	b) There is no department material issue for this work -						
	c) This works comes under BBMP limit.						
	ಸಹಾಯಕ ಆಯುಕ್ತರು ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ 22/2/19						
	ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-24 22/2/2019						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurem
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8

DEFENCE LAYOUT.

→ BS BOX DRAIN

→ ASPHALT ROAD

AS BUILD DRAWING



ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-24

M. A. R
Meas

rial No. .....
me of Work ..... From....
me of Contractor of nature of Agency .....
te of commencement of work .....

ate	Full description, etc, of work	Number
	2	3



ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ

ENT BOOK

Dimensions			Contents	Reference to last Measurement
th	Breadth 5	Depth 6	7	8
			FENCE LAYOUT	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 426753

rial No. .....
me of Work ..... From..... To.....
me of Contractor of nature of Agency .....
te of commencement of work .....

ate	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
							SADIQ LAYOUT

AS BUILD DRAWING

-> Asphalt Road.

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8



AS BUILD DRAWING

22/2/19.

ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ
ಬಿಬಿಎಂಪಿ, ಬೆಂಗಳೂರು-24

M. A. R
Meas

erial No. .....
ame of Work ..... From....
ame of Contractor of nature of Agency .....
ate of commencement of work .....

Date	Full description, etc, of work	Number
	2	3
	2nd & Final Bill	
	ಪೆಟ್ಟಿ ಪೊಟಲಗು ರೂ. 48 24 5	
	ಗಳ ನಿರ್ವಹಣೆ ಮಾಡಿದೆ : ಇದರಲ್ಲಿ ರೂ 26	
	ಹಿಂಪಡಿಗೆ ಮಾಡಿಕೊಂಡು ಉಳಿದ ಮೊಬಲಗು	
	ರೂ ಮಾತ್ರ ಚೆಕ್ಕನ್ನು ಲಕ್ಷ್ಮಿ ಅಂಬಕ್ಕರು ಇವರಿಗೆ	
	ಚೆಕ್ ಮುಖಾಂತರ ನೀಡಲಾಗಿದೆ	
	ಲೆಕ್ಕಾಧೀಕ್ಷಕರು/ಸ	
	ಬ್ಯಾಟರಾಯನಪುರ ವಿಭಾಗ	
	ಬೃ. ಬೆ. ಮ. ಪಾ	

IT BOOK

ensions			Contents	Reference to last Measurem
	Breadth 5	Depth 6	7	8
NJUNATH NAGAR				
nd Road				

ಮುನಸುರ ಉಪ ವಿಭಾಗ
ಬೆಂಗಳೂರು-24

M. A. R. 57 (Rule 116)
Measurement Book

No. B 426754

erial No. .....
ame of Work ..... From..... To.....
ame of Contractor of nature of Agency .....
ate of commencement of work .....

Date	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	2nd & Final Bill					Deductions	
	ಬಿಟ್ಟು ಹೋಗಬಹುದು ರೂ	4824569:00				IT	48246:00
	ಗಳ ಬಾಬ್ತು ಮುಂದಿದೆ: ಇದರಲ್ಲಿ ರೂ	261061:00				LGST	43077:00
	ಹೊಣೆಗಳನ್ನು ಹೊರತುಪಡಿಸಿ ಉಳಿದ ಮೊಬಲಗು	4563508:00				SGST	43077:00
	ಮೊತ್ತವನ್ನು ಲಕ್ಷ ಅಂಚೆಯ ಅಂಚೆಯ ಶಿಷ್ಯ ಪಡೆದುಕೊಳ್ಳಲು ಬಾಗಲಿ					Cess	48246:00
	ಬಿಲ್ ಮುಖಾಂತರ ನಿಡಬಾಗಿದೆ					CBF	4825:00
	ಲೆಕ್ಕಾಧೀಕ್ಷಕರು ಬ್ಯಾಟರಾಯನಪುರ ವಿಭಾಗ ಬೃ. ಬೆ. ಮ. ಪಾ		ಸಹಾಯಕ ಬೃ. ಬೆ. ಮ. ಪಾ	30/09		LR	73590:00
						T.D	261061:00
						Net	4563508:00